

BLUEBELL • NYLETTE • MOHAIR • TOTEM
BRI-NYLON • PATONYLE, 4 PLY • AZALEA

PATONS BOOK
No. 650



Page 12

Page 13

2/3

IMPORTANT**PLEASE READ THIS FIRST**

To avoid disappointment you must use the wool recommended for each design.

It is also most important that you purchase sufficient wool of the same dye-lot to complete the garment, since it is not possible to avoid a slight variation in dyeing each dye-lot.

**Tension****HOW TO CHECK YOUR TENSION—**

Before you commence knitting, check your tension carefully—on this depends the success of the finished article. Take the wool and needles specified in the instructions, cast on 20 stitches, work 20 rows in plain smooth fabric. **Lightly** press work. Check the tension by placing an inch tape across the stitches, count the exact number of stitches to one inch and compare with the tension given in the instructions. All tensions are measured over plain smooth fabric, lightly pressed. If your tension is too loose, try a size finer needle. If your tension is too tight, try a size coarser needle. If there is more than one size of needle recommended in the recipe and you alter the needles to obtain the correct tension in plain smooth fabric, corresponding alterations must be made to the needles throughout the instructions.

**Abbreviations**

K. = Knit. **P.** = Purl. **sts.** = stitches. **tog.** = together. **wl. fwd.** = wool forward. **alt.** = alternate. **w.o.n.** = wool over needle. **p.s.s.o.** = pass slip stitch over. **ins.** = inches. **rep.** = repeat. **w.r.n.** = wool round needle. **Garter Stitch** = every row knit. **inc.** = increase. **patt.** = pattern. **t.b.l.** = through back of loop. **beg.** = beginning. **dec.** = decrease. **incl.** = inclusive. **ch.** = chain. **sp.** = space. **s.c.** = single crochet. **w.o.h.** = wool over hook. **y.fwd.** = yarn forward. **y.o.n.** = yarn over needle. **y.r.n.** = yarn round needle. **d.c.** = double crochet. **tr.** = treble. **sl. st.** = slip stitch. **h.tr.** = half treble. **l.tr.** = long treble (wool over hook twice).



When instructions read: "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.

*A waistcoat that's a
certain winner —
slightly formal yet
free and easy*

'MAXWELL'

IN THREE SIZES

PATONS NYLETTE CREPE

80% WOOL 20% NYLON MOTHPROOFED

● This garment has been specifically designed for **PATONS NYLETTE CREPE** — if other yarns are used you cannot be sure of the quantity required or that the results will be satisfactory.

USE PATONS — TO BE SURE!

Size A	38 inch chest	12 balls
Size B	40 inch chest	13 balls
Size C	42 inch chest	14 balls

Length at centre back (excluding neckband)—

Size A, 23½ ins. Size B, 24 ins. Size C, 25 ins.

Patons Beehive or Queen Bee Knitting Needles—

Loose Knitters 1 pair each Nos. 11 and 13

Average Knitters 1 pair each Nos. 10 and 12

Tight Knitters 1 pair each Nos. 9 and 11

Needle sizes in instructions are those for Average Knitters.

Needle size depends upon your tension, which should be 7½ stitches to 1 inch in width, measured over plain smooth fabric. Check tension—see at left.

Two Stitch Holders.

Five Medium Buttons.

ABBREVIATIONS: See at left. sl.1K = Slip 1 knit-ways.


Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

THE POCKET LININGS—Using No. 10 Needles, cast on 49 stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows fifteen times.



Break off wool. Leave these sts. on a stitch holder. Work another Pocket Lining in same manner.

THE RIGHT FRONT—Using No. 10 Needles, cast on 4 stitches.

1st row.—(Wrong side of work). Purl.

Proceed in rib patt. and shape point as follows:—

1st row.—Inc. once in first st., K.1, sl.1K, K.1, turn, cast on 5 sts.

2nd and alt. rows.—Purl.

3rd row.—Inc. once in first st., (P.1, K.1, sl.1K., K.1) twice, P.1, turn, cast on 5 sts.

5th row.—Inc. once in first st., K.1, (P.1, K.1, sl.1K, K.1) three times, P.1, K.1, turn, cast on 8 sts.

7th row.—Inc. once in first st., (sl.1K, K.1, P.1, K.1) twelve times, turn, cast on 10 sts.

9th row.—Inc. once in first st., (K.1, sl.1K, K.1, P.1) eight times, K.1, sl.1K, K.1, turn, cast on 12 sts.

11th row.—Inc. once in first st., (P.1, K.1, sl.1K, K.1) twelve times, turn, cast on 12 sts.

13th row.—Inc. once in first st., (K.1, P.1, K.1, sl.1K) fifteen times, K.1, turn, cast on 8 sts.

15th row.—Inc. once in first st., (sl.1K, K.1, P.1, K.1) seventeen times, sl.1K, K.1, turn, cast on 16 [B—20] [C—24] sts. (88 [B—92] [C—96] sts.)

Continue inc. once at front edge only in every alt. row until there are 99 [B—103] [C—107] sts. on needle.

Continue in patt. without shaping until work measures 2 ins. along front edge from completion of front shaping, finishing at end of a purl row.

Place pocket as follows:—

Next row. — Patt. 25 [B—patt. 27] [C—patt. 29], slip next 49 sts. on to a stitch holder, slip 49 pocket lining sts. on to left hand needle right side of work facing, patt. across these sts. to end of row.

Continue in patt. until work measures 13 ins. along side edge, finishing at side edge.

Shape armhole and front edge as follows:—

Next row.—Cast off 12 [B—13] [C—14] sts., purl to end of row.

Dec. once at front edge in next row and every following 4th row thirteen [B—fourteen] [C—fourteen] times, whilst at same time dec. once at armhole edge in next row and every alt. row twenty-seven [B—twenty-eight] [C—twenty-nine] times. (45 [B—46] [C—48] sts.)

Continue dec. at front edge only in every following 6th row until 40 [B—42] [C—44] sts. remain, then in every following 4th row from previous dec. until 34 [B—36] [C—38] sts. remain.

Continue without shaping until armhole measures 9½ [B—10] [C—10½] ins. from commencement of armhole shaping, finishing at armhole edge.

Shape shoulder as follows:—

1st row.—Cast off 11 [B—12] [C—12] sts., work to end of row.

2nd row.—Work to end of row.

3rd row.—Cast off 11 [B—12] [C—13] sts., work to end of row.

4th row.—As 2nd row.

Cast off remaining 12 [B—12] [C—13] sts.

THE LEFT FRONT—Using No. 10 Needles, cast on 4 stitches.

1st row.—(Wrong side of work). Purl, turn, cast on 5 sts.

2nd row.—(P.1, K.1, sl.1K, K.1) twice, inc. once in last st.

3rd row.—Purl, turn, cast on 5 sts.

4th row.—K.1, (P.1, K.1, sl.1K., K.1) three times, P.1, inc. once in last st.

5th row.—Purl, turn, cast on 8 sts.

6th row.—K.1, (P.1, K.1, sl.1K, K.1) five times, P.1, K.1, inc. once in last st.

7th row.—Purl, turn, cast on 10 sts.

[Continued on page 16]



A Mohair Cardigan with an 'off-beat' line— in sleeveless style

'GEOFFREY'

IN THREE SIZES

PATONS BRUSHED MOHAIR KNITTING YARN

71% MOHAIR 23% WOOL 6% NYLON
MOTHPROOFED

● This garment has been specifically designed for **PATONS BRUSHED MOHAIR** — if other yarns are used you cannot be sure of the quantity required or that the results will be satisfactory.

USE PATONS — TO BE SURE!

Size A	37-38 inch chest	14 balls
Size B	40-41 inch chest	16 balls
Size C	43-44 inch chest	17 balls

Length from top of shoulder—

Size A, 24½ ins. **Size B**, 25 ins. **Size C**, 25½ ins.

Patons Beehive or Queen Bee Knitting Needles—

Loose Knitters . . . 1 pair each Nos. 9 and 11

Average Knitters . . . 1 pair each Nos. 8 and 10

Tight Knitters 1 pair each Nos. 7 and 9

Needle sizes in instructions are those for Average Knitters.

Needle size depends upon your tension, which should be 11 stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see page 2.

Three Stitch Holders. Six Medium Buttons.

ABBREVIATIONS: See page 2.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

NOTE—To obtain the best results, we recommend working from two balls of yarn.

Work two rows from the first ball, two rows from the second ball, then two rows from the first ball, etc.

This will help overcome any possible variation in yarn thickness.

Work from one ball only when working front band to avoid loops on the front edge of garment.

THE POCKET LININGS—Using No. 8 Needles, cast on 27 stitches.

1st row.—* K.1, P.1, rep. from * to last st., K.1.

2nd row.—* P.1, K.1, rep. from * to last st., P.1.

Rep. 1st and 2nd rows nine times.

Break off yarn. Slip these sts. on to a stitch holder. Work another Pocket Lining in same manner.

THE RIGHT FRONT—Using No. 8 Needles, cast on 83 [B—87] [C—91] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1. **

Rep. 1st and 2nd rows nine times.

21st row.—Rib 43 [B—rib 45] [C—rib 47], slip next 27 sts. on to a stitch holder and leave, slip pocket lining sts. on to left hand needle, with right side of work facing, then rib across these sts. to end of row.

22nd row.—As 2nd row. **23rd row.**—As 1st row.

Rep. last 2 rows twelve times, then 2nd row once.

Shape front slope by dec. once at beg. of needle in next and every alt. row until 58 [B—61] [C—64] sts. remain.

Shape armhole as follows.—

1st row.—Cast off 9 [B—10] [C—10] sts., rib to end of row.

[Continued on page 17]

Collar on— or collar off!

'NIGEL'

IN THREE SIZES
WITH OR WITHOUT COLLAR

PATONS PATONYLE KNITTING YARN, 4-Ply

80% WOOL 20% NYLON
MOTHPROOFED

"PATONISED SHRINK-RESIST FINISH"

● This garment has been specifically designed for **PATONS PATONYLE, 4-Ply** — if other yarns are used you cannot be sure of the quantity required or that the results will be satisfactory.

USE PATONS — TO BE SURE!

Size A—37 inch chest—

With Collar 17 balls

Without Collar 14 balls

Size B—40 inch chest—

With Collar 18 balls

Without Collar 15 balls

Size C—43 inch chest—

With Collar 18 balls

Without Collar 16 balls

Length from top of shoulder—

Size A, 25½ ins. Size B, 26 ins. Size C, 26½ ins.

Length of sleeve seam—

All Sizes 20 ins.
(or length desired)

Patons Beehive Knitting Needles—

Loose Knitters—1 pair each Nos. 11 and 13, 1 set of four No. 13 (12 inch).

Average Knitters—1 pair each Nos. 10 and 12, 1 set of four No. 12 (12 inch).

Tight Knitters—1 pair each Nos. 9 and 11, 1 set of four No. 11 (12 inch).

Needle sizes in instructions are those for Average Knitters.

Needle size depends upon your tension, which should be 7½ stitches to 1 inch in width, measured over plain smooth fabric. Check tension—see page 2.

ABBREVIATIONS: See page 2.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

THE FRONT—Using No. 12 Needles, cast on 151 [B—161] [C—171] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows sixteen times, inc. once at end of needle in last row.

Using No. 10 Needles, proceed as follows:—

**** 1st row.**—Knit. **2nd row.**—Purl.

3rd row.—* P.2, K.8, rep. from * to last 2 sts., P.2.

4th row.—* K.2, P.8, rep. from * to last 2 sts., K.2. **

Continue in patt. as given from ** to ** until work measures 16½ ins. from commencement, finishing so that right side of work will be facing when working next row.

Shape armholes by casting off 5 sts. at beg. of next 2 rows. ***

Divide for neck as follows:—

Next row. — K.2 tog., patt. 69 [B—patt. 74] [C—patt. 79], turn.

Continue on these sts., dec. once at armhole edge in every alt. row twelve [B—fourteen] [C—sixteen] times, whilst at same time dec. once at neck edge in every following 4th row six [B—seven] [C—eight] times. (52 [B—54] [C—56] sts.)

Continue dec. at neck edge only in every following 4th row until 37 [B—39] [C—41] sts. remain.

Work 2 rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 9 [B—10] [C—10] sts., turn.

2nd and 4th rows.—Work to end of row.

[Continued on page 18]





BRI-NYLON — trade mark of British Nylon Spinners Ltd.

Patons Beehive or Queen Bee Knitting Needles—

- Loose Knitters** . . . 1 pair each Nos. 8 and 12
Average Knitters . . . 1 pair each Nos. 7 and 11
Tight Knitters 1 pair each Nos. 6 and 10

Needle sizes in instructions are those for Average Knitters.

Needle size depends upon your tension, which should be 11 stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see page 2.

Two Medium Buttons.

ABBREVIATIONS: See page 2.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

THE FRONT—Using No. 11 Needles, cast on 117 [B—125] [C—133] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows nine times.

Using No. 7 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.



Here's a new note in Pullovers—the two-button neck is the very latest

'LAYTON'

IN THREE SIZES

PATONS BRI-NYLON DOUBLE KNITTING

100% BRI-NYLON MOTHPROOF SHRINKPROOF

• This garment has been specifically designed for **PATONS BRI-NYLON DOUBLE KNITTING** — if other yarns are used you cannot be sure of the quantity required or that the results will be satisfactory.

USE PATONS — TO BE SURE!

Size A . . .	40 inch chest . . .	24 balls
Size B . . .	43 inch chest . . .	25 balls
Size C . . .	46 inch chest . . .	26 balls

Length from top of shoulder—

Size A, 26½ ins. **Size B**, 27 ins. **Size C**, 27½ ins.

Length of sleeve seam—**All Sizes** . . . 20 ins.
 (or length desired)

Rep. 1st and 2nd rows until work measures 17 ins. from commencement, finishing at end of a purl row. **

Shape neck and armholes as follows:—

1st row.—K.53 [B—K.57] [C—K.61], cast off 11 sts., K.53 [B—K.57] [C—K.61].

2nd row.—P.53 [B—P.57] [C—P.61].

3rd row.—Knit.

4th row.—Cast off 5 [B—6] [C—7] sts., purl to end of row.

Dec. once at armhole edge in next row and every alt. row until 37 [B—39] [C—42] sts. remain.

Next row.—Purl.

Dec. once at neck edge in next row and every following 4th row three [B—six] [C—eight] times, whilst at same time dec. once at armhole edge in next row and every alt. row six [B—twelve] [C—sixteen] times. (26 [B—19] [C—16] sts.)

Dec. once at armhole edge in every alt. row eighteen [B—thirteen] [C—eleven] times, whilst at same time dec. once at neck edge in every following 6th row six [B—four] [C—three] times. (2 sts.)

Next row.—P.2.

[Continued on page 19]

Plain fabric—saddle shoulder—in Totem



'LARRY'

IN THREE SIZES—WITH "V" OR ROUND NECK

PATONS TOTEM KNITTING WOOL

ALL PURE WOOL MOTHPROOFED

● This garment has been specifically designed for **PATONS TOTEM** — if other yarns are used you cannot be sure of the quantity required or that the results will be satisfactory.

USE PATONS — TO BE SURE!

Size A	38 inch chest	23 balls
Size B	41 inch chest	24 balls
Size C	44 inch chest	26 balls

Length from top of shoulder—

Size A, 26 ins. Size B, 26½ ins. Size C, 27 ins.

Length of sleeve seam—

All Sizes 20 ins. (or length desired)

Patons Beehive Knitting Needles—

Loose Knitters—1 pair each Nos. 8 and 11, 1 set of four No. 11 (12 inch).

Average Knitters—1 pair each Nos. 7 and 10, 1 set of four No. 10 (12 inch).

Tight Knitters—1 pair each Nos. 6 and 9, 1 set of four No. 9 (12 inch).

Needle sizes in instructions are those for Average Knitters.

Needle size depends upon your tension, which should be 11½ stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see page 2.

Two Stitch Holders for Pullover with Round Neck.

ABBREVIATIONS: See page 2.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

THE PULLOVER WITH "V" NECK.

THE FRONT—Using No. 10 Needles, cast on 111 [B—119] [C—127] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows eight times.

Using No. 7 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric until work measures 17 ins. from commencement, finishing at end of a purl row.

Shape armholes by casting off 2 [B—3] [C—4] sts. at beg. of next 2 rows. **

Divide for neck as follows:—

Next row.—K.2 tog., K.51 [B—K.54] [C—K.57], turn.

Continue on these 52 [B—55] [C—58] sts., dec. once at each end of needle in every following 4th row until 36 [B—37] [C—38] sts. remain.

Continue dec. once at armhole edge in every alt. row thirteen times, whilst at same time dec. once at neck edge in every following 4th row six times. (17 [B—18] [C—19] sts.)


Work 1 row without shaping.

Next row.—Cast off 8 [B—9] [C—10] sts., K.9.

Next row.—Purl. Cast off remaining sts.

Slip centre st. on to a length of wool and leave.

[Continued on page 19]





*Make it with stripes
—or make it plain—
in 3 adaptable sizes*


'TERRY'

PATONS BEEHIVE AZALEA KNITTING AND CROCHET WOOL

ALL PURE WOOL MOTHPROOFED

● This garment has been specifically designed for **PATONS AZALEA** — if other yarns are used you cannot be sure of the quantity required or that the results will be satisfactory.

USE PATONS — TO BE SURE!



Size A—38 inch chest—

With Stripes—

Main Colour 9 balls

Contrasting Colour 1 ball

Plain 9 balls

Size B—41 inch chest—

With Stripes—

Main Colour 10 balls

Contrasting Colour 1 ball

Plain 10 balls

Size C—44 inch chest—

With Stripes—

Main Colour 10 balls

Contrasting Colour 1 ball

Plain 10 balls

Length from top of shoulder—

Size A, 24½ ins. Size B, 25 ins. Size C, 25½ ins.

Patons Beehive or Queen Bee Knitting Needles—

Loose Knitters 1 pair each Nos. 11 and 13 (12 inch)

Average Knitters 1 pair each Nos. 10 and 12 (12 inch)

Tight Knitters 1 pair each Nos. 9 and 11 (12 inch)

Needle sizes in instructions are those for Average Knitters.

Needle size depends upon your tension, which should be 8 stitches to 1 inch in width, measured over plain smooth fabric. Check tension—see page 2.

ABBREVIATIONS: See page 2. M. = Main Colour.
C. = Contrasting Colour.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

THE PULLOVER WITH STRIPES.

THE FRONT—Using No. 12 Needles and M., cast on 157 [B—169] [C—181] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1. *** Rep. 1st and 2nd rows twice.

7th row.—Using C., knit.

Rep. 2nd row once, then 1st and 2nd rows once.

11th row.—Using M., knit.

12th row.—As 2nd row.

Using C., rep. 11th and 12th rows once.

Using M., rep. 11th and 12th rows once.

17th row.—Using C., knit.

Rep. 2nd row once, then 1st and 2nd rows once.

21st row.—Using M., knit.

Rep. 2nd row once, then 1st and 2nd rows twice, inc. once at end of needle in last row. (158 [B—170] [C—182] sts.)

Only 10 balls of Patons Azalea for the 38-inch size!

Using No. 10 Needles and M., proceed as follows:—
1st row.—Knit. **2nd row.**—Purl. **

Continue in plain smooth fabric until work measures 12½ ins. from commencement, finishing at end of a purl row.

Divide for neck as follows:—

Next row.—K.79 [B—K.85] [C—K.91], turn.

Continue on these 79 [B—85] [C—91] sts., dec. once at neck edge in every following 6th row until 74 [B—80] [C—86] sts. remain.

Work 1 row without shaping.

Shape armhole as follows:—

Next row.—Cast off 15 [B—18] [C—21] sts., knit to end of row.

Dec. once at armhole edge in every alt. row seventeen times, whilst at same time dec. once at neck edge in 4th row and every following 6th row five times. (36 [B—39] [C—42] sts.)

Continue dec. once at neck edge in every following 6th row until 25 [B—27] [C—29] sts. remain.

Shape shoulder as follows:—

1st row.—Work to last 8 [B—9] [C—10] sts., turn.

2nd row.—Work to end of row.

3rd row.—Work to last 16 [B—18] [C—20] sts., turn.

4th row.—As 2nd row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to **.

Continue without shaping until work measures same as Front to armhole shaping, finishing at end of a purl row.

Shape armholes by casting off 15 [B—18] [C—21] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 94 [B—100] [C—106] sts. remain.

Work 55 [B—61] [C—67] rows without shaping.

Shape neck as follows:—

Next row.—K.30 [B—K.32] [C—K.34], cast off 34 [B—36] [C—38] sts., K.30 [B—K.32] [C—K.34].

Continue on these 30 [B—32] [C—34] sts., dec. once at neck edge in every alt. row until 25 [B—27] [C—29] sts. remain.

Work 1 row without shaping.

Shape shoulder as given for Front.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE ARMHOLE BANDS—Using a fine back-stitch seam, sew up shoulder seams.

With right side of work facing, using No. 12 Needles and M., knit up 167 [B—177] [C—187] sts. evenly round armhole.

1st row.—* K.1, P.1, rep. from * to last st., K.1.

2nd row.—K.2, * P.1, K.1, rep. from * to last st., K.1. Rep. 1st and 2nd rows eleven times. Cast off loosely in rib.

Work other Armhole Band in some manner.

THE NECKBAND—Using No. 12 Needles and M., cast on 281 [B—289] [C—297] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

3rd row.—K.2 tog., * P.1, K.1, rep. from * to last 3 sts., P.1, K.2 tog. **

Rep. 3rd row three times.

7th row.—Using C., K.2 tog., knit to last 2 sts., K.2 tog. Rep. 3rd row three times.

11th row.—Using M., K.2 tog., knit to last 2 sts., K.2 tog.

12th row.—As 3rd row.

13th row.—As 7th row.

14th row.—As 3rd row.

15th row.—As 11th row.

16th row.—As 3rd row.

17th row.—As 7th row.

Rep. 3rd row three times.

21st row.—As 11th row.

Rep. 3rd row five times. (233 [B—241] [C—249] sts.) Keeping continuity of rib, inc. once at each end of needle in every row until there are 281 [B—289] [C—297] sts. on needle.

Work 2 rows without shaping.

Cast off in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side seams. Using a fine back-stitch seam, join shaped edge of neckband together. Fold neckband in half and lightly oversew cast-on and cast-off edges together. Using a fine back-stitch seam, sew neckband in position. Fold armhole bands in half on to wrong side of work and slip-stitch in position. Finally, press all seams.

THE PLAIN PULLOVER.

THE FRONT—Work as given for Front of Pullover with Stripes to ***.

Rep. 1st and 2nd rows twelve times, inc. once at end of needle in last row. (158 [B—170] [C—182] sts.) Continue as given for Front of Pullover with Stripes.

THE BACK AND ARMHOLE BANDS—Work as given for Back and Armhole Bands of Pullover with Stripes.

THE NECKBAND—Work as given for Neckband of Pullover with Stripes to **.

Rep. 3rd row twenty-three times. (233 [B—241] [C—249] sts.)

Keeping continuity of rib, inc. once at each end of needle in every row until there are 281 [B—289] [C—297] sts. on needle.

Work 2 rows without shaping.

Cast off in rib.

TO MAKE UP—As given for Pullover with Stripes.

Long Sleeves or Sleeveless—and a Cable that's doing the Twist!

'LESTER'

IN THREE SIZES
WITH OR WITHOUT SLEEVES

PATONS BLUEBELL CREPE

ALL PURE WOOL MOTHPROOFED

● This garment has been specifically designed for **PATONS BLUEBELL**—if other yarns are used you cannot be sure of the quantity required or that the results will be satisfactory.

USE PATONS—TO BE SURE!

Size A—35 inch chest—	
With Sleeves	20 balls
Without Sleeves	13 balls
Size B—39 inch chest—	
With Sleeves	21 balls
Without Sleeves	15 balls
Size C—43 inch chest—	
With Sleeves	23 balls
Without Sleeves	15 balls

Length from top of shoulder—

Size A, 25 ins. **Size B**, 25½ ins. **Size C**, 26 ins.

Length of sleeve seam—**All Sizes** 20 ins.
(or length desired)

Patons Beehive Knitting Needles—

Loose Knitters—1 pair each Nos. 10 and 13, 1 set of four Nos. 11 and 13 (12 inch).

Average Knitters—1 pair each Nos. 9 and 12, 1 set of four Nos. 10 and 12 (12 inch).

Tight Knitters—1 pair each Nos. 8 and 11, 1 set of four Nos. 9 and 11 (12 inch).

Needle sizes in instructions are those for Average Knitters.

Needle size depends upon your tension, which should be 13½ stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see page 2.

A Cable Needle. Two Stitch Holders.

ABBREVIATIONS: See page 2.

Instructions are for smallest size **A**. Larger sizes **B** and **C** are shown thus [**B**—...] [**C**—...]. Where one set of figures is given, this applies to all sizes.

THE PULLOVER WITH SLEEVES.

THE FRONT—Using No. 12 Needles, cast on 149 [**B**—163] [**C**—179] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows eleven times, inc. once at end of needle in last row for **Size B** only. (149 [**B**—164] [**C**—179] sts.)

Using No. 9 Needles, proceed as follows:—

**** 1st row.**—P.2, * (P.2, K.2) twice, P.4, K.1, P.2, rep. from * to last 12 sts., (P.2, K.2) twice, P.4.

2nd row.—K.2, * (K.2, P.2) twice, K.4, P.1, K.2, rep. from * to last 12 sts., (K.2, P.2) twice, K.4.

3rd row.—P.2, * (P.2, K.2) twice, P.3, (K.1, P.1) twice, rep. from * to last 12 sts., (P.2, K.2) twice, P.4.

4th row.—K.2, * (K.2, P.2) twice, K.3, (P.1, K.1) twice, rep. from * to last 12 sts., (K.2, P.2) twice, K.4.

5th row.—P.2, * (P.2, K.2) twice, P.2, (K.1, P.1) twice, K.1, rep. from * to last 12 sts., (P.2, K.2) twice, P.4.

6th row.—K.2, * (K.2, P.2) twice, K.2, (P.1, K.1) twice, P.1, rep. from * to last 12 sts., (K.2, P.2) twice, K.4.

7th and 8th rows.—As 3rd and 4th rows.

9th and 10th rows.—As 1st and 2nd rows.

11th row.—P.2, * C.4B. by slipping next 4 sts. on to cable needle and leave at back of work, P.2, K.2, then P.2, K.2, across sts. on cable needle, P.7, rep. from * to last 12 sts., C.4B., P.4.

12th row.—K.2, * (K.2, P.2) twice, K.7, rep. from * to last 12 sts., (K.2, P.2) twice, K.4 **.

Continue in patt. as given from ** to ** until work measures 16½ ins. from commencement, finishing so that right side of work will be facing when working next row.

Shape armholes by casting off 7 [**B**—8] [**C**—9] sts. at beg. of next 2 rows. Dec. once at each end of needle in next and every alt. row until 119 [**B**—132] [**C**—145] sts. remain. ***

Work 31 [**B**—35] [**C**—39] rows without shaping.

Shape neck as follows:—

Next row.—Patt. 74 [**B**—patt. 82] [**C**—patt. 90], leave last 29 [**B**—32] [**C**—35] of these sts. just worked on a stitch holder, patt. 45 [**B**—patt. 50] [**C**—patt. 55].

Continue on these 45 [**B**—50] [**C**—55] sts., dec. once at neck edge in every alt. row until 36 [**B**—39] [**C**—42] sts. remain.

Work 11 [**B**—9] [**C**—7] rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 12 [**B**—13] [**C**—14] sts., turn.

2nd row.—Work to end of row.

3rd row.—Work to last 24 [**B**—26] [**C**—28] sts., turn.



4th row.—As 2nd row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to ***.

Work 43 [B—47] [C—51] rows without shaping.

Shape neck as follows:—

Next row.—Patt. 74 [B—patt. 82] [C—patt. 90], leave last 29 [B—32] [C—35] of these sts. just worked on a stitch holder, patt. 45 [B—patt. 50] [C—patt. 55].

Continue on these 45 [B—50] [C—55] sts., dec. once at neck edge in every row until 36 [B—39] [C—42] sts. remain.

Work 8 rows without shaping.

Shape shoulder as given for Front.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE SLEEVES—Using No. 12 Needles, cast on 63 [B—69] [C—75] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows twelve times, then 1st row once.

28th row.—Rib 4 [B—rib 2] [C—rib 6], * inc. once in next st., rib 8 [B—rib 7] [C—rib 6], rep. from * to last 5 [B—3] [C—6] sts., inc. once in next st., rib 4 [B—rib 2] [C—rib 5]. (70 [B—78] [C—85] sts.)

Using No. 9 Needles, proceed as follows:—

Sizes A and C only.

**** 1st row.**—* (P.2, K.2) twice, P.4, K.1, P.2, rep. from * to last 10 sts., (P.2, K.2) twice, P.2.

2nd row.—* (K.2, P.2) twice, K.4, P.1, K.2, rep. from * to last 10 sts., (K.2, P.2) twice, K.2.

3rd row.—* (P.2, K.2) twice, P.3, (K.1, P.1) twice, rep. from * to last 10 sts., (P.2, K.2) twice, P.2.

4th row.—* (K.2, P.2) twice, K.3, (P.1, K.1) twice, rep. from * to last 10 sts., (K.2, P.2) twice, K.2.

5th row.—* (P.2, K.2) twice, P.2, (K.1, P.1) twice, K.1, rep. from * to last 10 sts., (P.2, K.2) twice, P.2.

6th row.—* (K.2, P.2) twice, K.2, (P.1, K.1) twice, P.1, rep. from * to last 10 sts., (K.2, P.2) twice, K.2.

7th and 8th rows.—As 3rd and 4th rows.

9th and 10th rows.—As 1st and 2nd rows.

11th row.—* C.4B, P.7, rep. from * to last 10 sts., C.4B, P.2.

12th row.—* (K.2, P.2) twice, K.7, rep. from * to last 10 sts., (K.2, P.2) twice, K.2. **

[Size B only]

**** 1st row.**—P.1, K.1, P.2, * (P.2, K.2) twice, P.4, K.1, P.2, rep. from * to last 14 sts., (P.2, K.2) twice, P.4, K.1, P.1.

2nd row.—K.1, P.1, K.2, * (K.2, P.2) twice, K.4, P.1, K.2, rep. from * to last 14 sts., (K.2, P.2) twice, K.4, P.1, K.1.

3rd row.—(K.1, P.1) twice, * (P.2, K.2) twice, P.3, (K.1, P.1) twice, rep. from * to last 14 sts., (P.2, K.2) twice, P.2, (P.1, K.1) twice.

4th row.—(P.1, K.1) twice, * (K.2, P.2) twice, K.3, (P.1, K.1) twice, rep. from * to last 14 sts., (K.2, P.2) twice, K.2, (K.1, P.1) twice.

5th row.—(P.1, K.1) twice, * (P.2, K.2) twice, P.2, (K.1, P.1) twice, K.1, rep. from * to last 14 sts., (P.2, K.2) twice, P.2, (K.1, P.1) twice.

6th row.—(K.1, P.1) twice, * (K.2, P.2) twice, K.2, (P.1, K.1) twice, P.1, rep. from * to last 14 sts., (K.2, P.2) twice, K.2, (P.1, K.1) twice.

7th and 8th rows.—As 3rd and 4th rows.

9th and 10th rows.—As 1st and 2nd rows.

[Continued on page 20]



Front Cover Cardigan hits the right note—in Bluebell

'KENNETH'

IN THREE SIZES

PATONS BLUEBELL CREPE

ALL PURE WOOL MOTHPROOFED

● This garment has been specifically designed for **PATONS BLUEBELL**—if other yarns are used you cannot be sure of the quantity required or that the results will be satisfactory.

USE PATONS—TO BE SURE!

Size A .. 37 inch chest .. 19 balls

Size B .. 40 inch chest .. 19 balls

Size C .. 43 inch chest .. 20 balls



'KENNETH'

'BURKE'

Length from top of shoulder—

Size A, 25 ins. Size B, 25½ ins. Size C, 26 ins.

Length of sleeve seam—All Sizes .. 20 ins.
(or length desired)

Patons Beehive or Queen Bee Knitting Needles—

Loose Knitters .. 1 pair each Nos. 10 and 13

Average Knitters .. 1 pair each Nos. 9 and 12

Tight Knitters .. 1 pair each Nos. 8 and 11

Needle sizes in instructions are those for Average Knitters.

Needle size depends upon your tension which should be 13½ stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see page 2.

Three Stitch Holders.

Five Medium Buttons.

ABBREVIATIONS: See page 2.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

THE POCKET LININGS—Using No. 9 Needles, cast on 31 stitches.

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows sixteen times.

Break off wool.

Leave these sts. on a stitch holder.

Work another Pocket Lining in same manner.

THE RIGHT FRONT—Using No. 12 Needles, cast on 65 [B—71] [C—75] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows eight times, inc. once at beg. of needle in last row for **Sizes A and C only.** (66 [B—71] [C—76] sts.)

Using No. 9 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows sixteen times.

Next row.—K.17, slip next 31 sts. on to a stitch holder and leave, slip pocket lining sts. on to left hand needle right side of work facing, knit across these sts. to end of row.

Continue dec. without shaping until work measures 16½ ins. from commencement, finishing at end of a knit row. Shape raglan and front slope as follows:—

1st row.—Cast off 5 [B—6] [C—7] sts., purl to end of row.

2nd row.—K.2 tog., knit to last 6 sts., K.2 tog., K.4.

3rd row.—Purl.

4th row.—Knit to last 6 sts., K.2 tog., K.4.

5th row.—Purl.

Rep. 4th and 5th rows once. (57 [B—61] [C—65] sts.)

Continue dec. once at front edge in next row and every following 6th row ten [B—eleven] [C—twelve] times, whilst at same time dec. once at armhole edge as before in next and every alt. row thirty [B—thirty-three] [C—thirty-six] times (15 sts.).

[Continued on page 21]

Front Cover Sweater—a leader in any band

'BURKE'

IN THREE SIZES

PATONS BLUEBELL CREPE

ALL PURE WOOL MOTHPROOFED

● This garment has been specifically designed for **PATONS BLUEBELL**—if other yarns are used you cannot be sure of the quantity required or that the results will be satisfactory.

USE PATONS — TO BE SURE!

Size A—37 inch chest—	
Main Colour	12 balls
Contrasting Colour	9 balls
Size B—40 inch chest—	
Main Colour	13 balls
Contrasting Colour	10 balls
Size C—43 inch chest—	
Main Colour	15 balls
Contrasting Colour	11 balls

Length from top of shoulder—

Size A, 25½ ins. **Size B**, 26 ins. **Size C**, 26½ ins.

Length of sleeve seam—**All Sizes** 20 ins.
(or length desired)

Patons Beehive or Queen Bee Knitting Needles—

Loose Knitters . . . 1 pair each Nos. 10 and 13

Average Knitters . . 1 pair each Nos. 9 and 12

Tight Knitters . . . 1 pair each Nos. 8 and 11

Needle sizes in instructions are those for Average Knitters.

Needle size depends upon your tension, which should be 13½ stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see page 2.

ABBREVIATIONS:

See page 2. M.

= Main Colour.

C. = Contrasting

Colour. K.B. =

Knit through next


next st. one row

below, at same

time slipping st.

above off needle.

(see diagram).



Instructions are for smallest size **A**. Larger sizes **B** and **C** are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

THE FRONT—Using No. 12 Needles and M., cast on 107 [B—117] [C—127] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows seven times, inc. once at each end of needle in last row. (109 [B—119] [C—129] sts.)

Using No. 9 Needles, proceed as follows:—

**** 1st row.**—Using C., K.1, * K.B., K.1, rep. from * to end of row.

2nd row.—Using C., knit.

3rd row.—Using M., K.2, * K.B., K.1, rep. from * to last st., K.1.

4th row.—Using M., knit. **

Rep. from ** to ** until work measures 17½ ins. from commencement, finishing so that right side of work will be facing when working next row.

Shape armholes by casting off 12 sts. at beg. of next 2 rows. ***

Divide for neck as follows:—

Next row.—Patt. 32 [B—patt. 37] [C—patt. 42], turn.

Next row.—Knit.

Continue on these 32 [B—37] [C—42] sts., dec. once at neck edge in next and every following 14th [B—14th] [C—12th] row until 25 [B—29] [C—33] sts. remain.

Work 15 [B—7] [C—15] rows without shaping.

Shape shoulder by casting off 5 [B—6] [C—7] sts. at beg. of next row and every alt. row three times [B—three times] [C—twice], [Size C only, then 6 sts. at beg. of following alt. row]. (5 [B—5] [C—6] sts.)

Cast off remaining sts.


Join in wool to remaining sts., cast off 21 sts., patt. to end of row.

Complete to correspond with other side, working shapings at opposite ends of needle.

THE BACK—Work as given for Front to ***.

Continue without shaping until armholes measure same as Front armholes.

[Continued on page 22]



Section of two-colour fabric — "Burke"

The Back Cover Pullovers are Bluebell—

this one is plain...



'JASON'

IN THREE SIZES

PATONS BLUEBELL CREPE

ALL PURE WOOL MOTHPROOFED

● This garment has been specifically designed for **PATONS BLUEBELL**—if other yarns are used you cannot be sure of the quantity required or that the results will be satisfactory.

USE PATONS — TO BE SURE!

Size A	38 inch chest	17 balls
Size B	41 inch chest	20 balls
Size C	44 inch chest	22 balls

Length from top of shoulder—

Size A, 25½ ins. **Size B**, 26 ins. **Size C**, 26½ ins.

Length of sleeve seam—**All Sizes** 20 ins.
(or length desired)

Patons Beehive or Queen Bee Knitting Needles—

Loose Knitters 1 pair each Nos. 10 and 13

Average Knitters . . . 1 pair each Nos. 9 and 12

Tight Knitters 1 pair each Nos. 8 and 11

Needle sizes in instructions are those for Average Knitters.

Needle size depends upon your tension, which should be 13½ stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see page 2.

One Stitch Holder.

Three Medium Buttons.

ABBREVIATIONS: See page 2.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

THE FRONT—Using No. 12 Needles, cast on 131 [B—141] [C—151] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows six times.

Using No. 9 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric until work measures 17 ins. from commencement, finishing with a purl row. Shape for armholes by casting off 2 sts. at beg. of next 2 rows.

Next row.—K.3, slip 1, K.1, p.s.s.o., knit to last 5 sts., K.2 tog., K.3.

Next row.—Purl.

Continue dec. in this manner in next and every alt. row until 111 [B—121] [C—131] sts. remain. **

Work 1 row.

Divide for front opening as follows:—

Next row.—K.3, slip 1, K.1, p.s.s.o., K.45 [B—K.50] [C—K.55], turn.

Continue on these 49 [B—54] [C—59] sts., dec. once at armhole edge as before in every alt. row until 31 [B—36] [C—38] sts. remain.

Shape neck as follows:—

1st row.—P.2 tog., purl to end of row.

2nd row.—K.3, slip 1, K.1, p.s.s.o., knit to last 2 sts., K.2 tog.

Rep. 1st and 2nd rows five [B—six] [C—six] times. (13 [B—15] [C—17] sts.)

Continue dec. once at armhole edge only as before in every alt. row until 8 [B—12] [C—14] sts. remain.

Work 1 row without shaping.

Proceed as follows:—

1st row.—K.3, slip 1, K.1, p.s.s.o., knit to end of row.

2nd row.—Purl to last 5 sts., P.2 tog.t.b.l., P.3.

Size A only—3rd row.—As 1st row. (5 sts.)

[**Sizes B and C only.** — Rep. 1st and 2nd rows [B—twice] [C—three times] then 1st row once. (5 sts.)]

All Sizes—Proceed as follows:—

1st row.—P.2 tog.t.b.l., P.3.

2nd row.—K.2, slip 1, K.1, p.s.s.o.

3rd row.—P.2 tog.t.b.l., P.1.

4th row.—K.2 tog. Fasten off.

Slip next 11 sts. on stitch holder and leave.

Join in wool at neck edge and work on remaining sts. to correspond with other side, working “P.2 tog.” in place of “P.2 tog.t.b.l.”

THE BACK—Work as given for Front to **.

Continue dec. once at each end of needle as before in every alt. row until 49 [B—61] [C—65] sts. remain.

Next row.—P.3, P.2 tog., purl to last 5 sts., P.2 tog.t.b.l., P.3.

Continue dec. once at each end of needle as before in every row until 37 [B—41] [C—41] sts. remain. Cast off.

[Continued on page 23]



'JASON'

'MARSHAL'

*... this one is
patterned — with
a larger collar*

'MARSHAL'

IN THREE SIZES

PATONS BLUEBELL CREPE

ALL PURE WOOL MOTHPROOFED

• This garment has been specifically designed for **PATONS BLUEBELL** — if other yarns are used you cannot be sure of the quantity required or that the results will be satisfactory.

USE PATONS — TO BE SURE!

Size A .. 37 inch chest .. 20 balls
Size B .. 40 inch chest .. 22 balls
Size C .. 43 inch chest .. 24 balls

Length from top of shoulder—

Size A, 25 ins. **Size B**, 25½ ins. **Size C**, 26 ins.

Length of sleeve seam—**All Sizes** .. 19 ins.
(or length desired)

Patons Beehive or Queen Bee Knitting Needles—

Loose Knitters .. 1 pair each Nos. 10 and 12

Average Knitters .. 1 pair each Nos. 9 and 11

Tight Knitters .. 1 pair each Nos. 8 and 10

Needle sizes in instructions are those for Average Knitters.

Needle size depends upon your tension, which should be 13½ stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see page 2.

Two Stitch Holders.

Three Medium Buttons.

ABBREVIATIONS: See page 2.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

THE POCKET LININGS—Using No. 9 Needles, cast on 39 stitches.

1st row.—Knit.

2nd row.—K.1, purl to last st., K.1.

Rep. 1st and 2nd rows seventeen times.

Break off wool. Leave these sts. on a stitch holder.

Work another Pocket Lining in same manner.

THE FRONT—Using No. 11 Needles, cast on 135 [B—147] [C—159] stitches.

1st row.—* K.3, (P.1, K.1) four times, P.1, rep. from * to last 3 sts., K.3.

2nd row.—Purl.

Rep. 1st and 2nd rows five times, then 1st row once.

14th row.—Knit.

Rep. 1st and 2nd rows seven times.

Using No. 9 Needles, rep. 1st and 2nd rows sixteen times, then 1st row once. **

Next row.—P.12, cast off 39 sts. in patt., P.33 [B—P.45] [C—P.57], cast off 39 sts., P.12.

Next row.—Patt. 12, * slip a set of pocket lining sts. on to left hand needle right side of work facing, patt. across these sts. *, patt. 33 [B—patt. 45] [C—patt. 57], rep. from * to *, patt. 12.

Continue in patt. without shaping until work measures 16 [B—16½] [C—17] ins. from knit row, finishing at end of a purl row.

Divide for front opening as follows:—

1st row.—Patt. 72 [B—patt. 78] [C—patt. 84], turn, cast on 9 sts.

[Continued on next page]

'MARSHAL' (Continued from page 15)

2nd row.—Purl.

3rd row.—Patt. 81 [B—patt. 87] [C—patt. 93].

Rep. 2nd and 3rd rows once then 2nd row once.

7th row.—Patt. to last 15 sts., cast off 3 sts., patt. 6, cast off 3 sts., patt. 3.

8th row.—P.3, cast on 3 sts., P.6, cast on 3 sts., purl to end of row.

Continue in patt. making a buttonhole as before in every following 19th and 20th rows twice. (3 buttonholes).

Work 3 rows.

Shape neck by casting off 21 sts. at beg. of next row, then dec. once at neck edge in next and every alt. row until 50 [B—55] [C—60] sts. remain.

Work 5 rows without shaping.

Shape shoulder as follows:—

Cast off 10 [B—11] [C—12] sts. at beg. of next row and every alt. row until 10 [B—11] [C—12] sts. remain.

Work 1 row. Cast off remaining sts.

Join in wool at neck edge, cast on 18 sts. and work on remaining sts. to correspond with other side, omitting buttonholes.

THE BACK—Work as given for Front to **.

Continue in patt. until work measures same as Front to shoulder shaping.

Shape shoulder by casting off 10 [B—11] [C—12] sts. at beg. of next 10 rows. Cast off remaining sts.

THE SLEEVES—Using No. 11 Needles, cast on 63 [B—69] [C—75] stitches.

Sizes A and C.

1st row.—* K.3, (P.1, K.1) four times, P.1, rep. from * to last 3 sts., K.3.

2nd row.—Purl.

[Size B.

1st row.—* (P.1, K.1) four times, P.1, K.3, rep. from * to last 9 sts., (P.1, K.1) four times, P.1.

2nd row.—Purl.]

All Sizes:

Rep. 1st and 2nd rows five times, then 1st row once.

14th row.—Knit.

Rep. 1st and 2nd rows seven times.

Using No. 9 Needles and keeping continuity of patt., inc. once at each end of needle in next and every following 4th row until there are 109 [B—115] [C—121] sts. on needle.

Continue without shaping until side edge measures 19 ins. from knit row (or length desired), finishing at end of a purl row.

Cast off 8 sts. at beg. of next 8 rows.

Cast off remaining sts.

Work another Sleeve in same manner.

THE COLLAR—Using No. 11 Needles, cast on 63 stitches.

1st row.—* K.3, (P.1, K.1) four times, P.1, rep. from * to last 3 sts., K.3.

2nd row.—K.1, purl to last st., K.1.

Rep. 1st and 2nd rows until work measures 4 ins. from commencement.

Proceed as follows:—

**** 1st and 2nd rows.**—Work to last 6 sts., turn.

3rd row.—Work to end of row.

Work 9 rows without shaping. **

Rep. from ** to ** ten [B—eleven] [C—twelve] times.

Continue without shaping until work measures 4 ins. from last turning row. Cast off.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a fine back-stitch seam, sew up shoulder seams. Fold sleeves in half and place fold to shoulder seam. Using a fine back-stitch seam, sew sleeves in position. Sew up side and sleeve seams. Turn back hems at knit row on sleeves and lower edge and slip-stitch in position. Slip-stitch pocket linings in position on wrong side of work. Fold back facings on front opening and slip-stitch in position. Lightly oversew round buttonholes. Fold collar in half, right side inside, and using a fine back-stitch seam, sew down each end. Turn to right side and lightly oversew cast-on and cast-off edges together. Using a flat seam, sew collar to neckline, commencing and ending at front edge of opening. Sew on buttons to correspond with buttonholes. Finally, press all seams.

'MAXWELL' (Continued from page 3)

8th row.—(K.1, sl.1K, K.1, P.1) eight times, K.1, sl.1K, inc. once in last st.

9th row.—Purl, turn, cast on 12 sts.

10th row.—(K.1, sl.1K, K.1, P.1) eleven times, K.1, sl.1K, K.1, inc. once in last st.

11th row.—Purl, turn, cast on 12 sts.

12th row.—(K.1, sl.1K, K.1, P.1) fifteen times, inc. once in last st.

13th row.—Purl, turn, cast on 8 sts.

14th row.—(K.1, sl.1K, K.1, P.1) seventeen times, K.1, inc. once in last st.

15th row.—Purl, turn, cast on 16 [B—20] [C—24] sts.

16th row.—* K.1, sl.1K, K.1, P.1, rep. from * to last 3 sts., K.1, sl.1K, inc. once in last st. (88 [B—92] [C—96] sts.)

Continue inc. once at front edge only in every alt. row until there are 99 [B—103] [C—107] sts. on needle.

Continue in patt. without shaping until work measures 2 ins. along front edge from completion of front shaping, finishing at end of a purl row.

Place pocket as follows:—

Next row.—Patt. 25 [B—patt. 27] [C—patt. 29], slip next 49 sts. on to a stitch holder, slip 49 pocket lining sts. on to left hand needle right side of work facing, patt. across these sts. to end of row.

Continue to correspond with Right Front, working shapings at opposite ends of needle.

THE BACK—Using No. 12 Needles, cast on 193 [B—203] [C—213] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row. Rep. 1st and 2nd rows for 5 ins.

Using No. 10 Needles, continue in rib until side edge measures $1\frac{1}{4}$ ins. longer than Fronts up to armhole shaping, finishing at end of a 2nd row.

Shape armholes by casting off 12 [B—13] [C—14] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 113 [B—119] [C—125] sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Cast off 11 [B—12] [C—12] sts., work to end of row.

3rd and 4th rows.—Cast off 11 [B—12] [C—13] sts., work to end of row.

5th and 6th rows.—Cast off 12 [B—12] [C—13] sts., work to end of row.

Cast off remaining sts.

THE FRONT BAND—Using No. 12 Needles, cast on 17 stitches.

1st row.—K.2, (P.1, K.1) seven times, K.1.

2nd row.—(K.1, P.1) eight times, K.1.

Rep. these 2 rows until work measures $8\frac{1}{2}$ [B—9] [C—9 $\frac{1}{2}$] ins. from commencement, finishing at end of a 1st row.

Mitre corner as follows:—

1st row.—Rib to last 3 sts., turn.

2nd and alt. rows.—Rib.

3rd row.—Rib to last 5 sts., turn.

5th row.—Rib to last 7 sts., turn.

7th row.—Rib to last 9 sts., turn.

9th row.—Rib to last 11 sts., turn.

11th row.—Rib to last 13 sts., turn.

13th row.—Rib to last 15 sts., turn.

15th row.—Rib to last 14 sts., turn.

17th row.—Rib to last 12 sts., turn.

19th row.—Rib to last 10 sts., turn.

21st row.—Rib to last 8 sts., turn.

23rd row.—Rib to last 6 sts., turn.

25th row.—Rib to last 4 sts., turn.

27th row.—Rib to last 2 sts., turn.

29th row.—Rib. (Mark this point).

Continue in rib until work measures $4\frac{1}{2}$ ins. from marked point, finishing at end of a 2nd row.

Make buttonhole as follows:—

Next row.—Rib 6, cast off 5 sts., rib 6.

Next row.—Rib 6, cast on 5 sts., rib 6.

Continue in rib, working a buttonhole as before in every following 27th and 28th rows from previous buttonhole until 5 buttonholes have been worked.

Continue in rib until band is long enough to fit (slightly stretched) along fronts and across back of neck to second point of front, finishing at end of a 1st row of rib.

Work rows 1 to 29 incl. as given for mitred corner.

Continue in rib until work matches first piece from mitred corner to cast-on edge. Cast off in rib.

THE ARMHOLE BANDS—Using No. 12 Needles, cast on 13 stitches.

1st row.—K.2, (P.1, K.1) five times, K.1.

2nd row.—(K.1, P.1) six times, K.1.

Rep. 1st and 2nd rows until band is long enough to fit around armhole. Cast off in rib.

Work another Armhole Band in same manner.

THE POCKET TOPS—Slip 49 pocket sts. left on stitch holder on to a No. 12 Needle so that right side of work will be facing when working 1st row.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows four times. Cast off in rib.

Work other Pocket Top in same manner.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a fine back-stitch seam, sew up side and shoulder seams, leaving $1\frac{1}{4}$ ins. of back below lower edge of fronts. Overlap armhole bands $\frac{1}{4}$ inch on right side of armholes, tack in position then slip-stitch in position on wrong and right side of work and join ends of bands with a fine back-stitch seam. Slip-stitch pocket linings in position on wrong side and pocket tops on right side. Using a fine back-stitch seam, sew front band in position. Sew on buttons to correspond with buttonholes. Finally, press all seams.

'GEOFFREY' (Continued from page 4)

Keeping continuity of rib, dec. once at each end of needle in next row and every alt. row seven [B—eight] [C—nine] times. (33 [B—33] [C—34] sts.)

Dec. once at front edge in every following 4th row until 22 [B—22] [C—23] sts. remain.

Work 3 rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 7 sts., turn.

2nd row.—Work to end of row.

3rd row.—Work to last 14 [B—14] [C—15] sts., turn.

4th row.—As 2nd row. Cast off in rib.

THE LEFT FRONT—Work as given for Right Front to **.

Rep. 1st and 2nd rows once.

5th row.—Rib 46 [B—rib 48] [C—rib 50], cast off 2 sts., rib to end of row.

6th row.—Rib 35 [B—rib 37] [C—rib 39], cast on 2 sts., rib to end of row.

Rep. 1st and 2nd rows seven times.

21st row.—Rib 13 [B—rib 15] [C—rib 17], slip next 27 sts. on to a stitch holder and leave, slip pocket lining sts. on to left hand needle, with right side of work facing, rib across these sts. to end of row.

22nd row.—As 2nd row.

[Continued on next page]

'GEOFFREY' (Continued from page 17)

Rep. 1st and 2nd rows twice, 5th and 6th rows once, then 1st and 2nd rows ten times.

Shape front slope as follows:—

1st row.—Rib 46 [B—rib 48] [C—rib 50], cast off 2 sts., rib to last 2 sts., work 2 tog.

2nd row.—Rib 34 [B—rib 36] [C—rib 38], cast on 2 sts., rib to end of row.

Keeping continuity of rib, work to correspond with Right Front, working shapings at opposite ends of needle.

THE BACK—Using No. 10 Needles, cast on 111 [B—119] [C—127] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows four times.

Using No. 8 Needles, rep. 1st and 2nd rows forty-four [B—forty-five] [C—forty-six] times.

Shape armholes as follows:—

1st and 2nd rows.—Cast off 9 [B—10] [C—10] sts., rib to end of row.

Dec. once at each end of needle in next and every alt. row until 77 [B—81] [C—87] sts. remain.

Continue in rib without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 7 sts., turn.

3rd and 4th rows.—Work to last 14 [B—14] [C—15] sts., turn.

5th and 6th rows.—Work to last 22 [B—22] [C—23] sts., turn.

7th row.—Work to end of row. Cast off in rib.

THE POCKET TOPS—Slip 27 pocket sts. on to a No. 10 Needle so that right side of work will be facing.

Using No. 10 Needles, proceed as follows:—

1st row.—* K.1, P.1, rep. from * to last st., K.1.

2nd row.—* P.1, K.1, rep. from * to last st., P.1.

Rep. 1st and 2nd rows twice.

Cast off in rib.

Work other Pocket Top in same manner.

THE FRONT BAND—Using No. 10 Needles, cast on 9 stitches.

1st row.—K.2, (P.1, K.1) three times, K.1.

2nd row.—K.1, (P.1, K.1) four times.

Rep. 1st and 2nd rows twice.

**** 7th row.**—K.2, P.1, K.1, cast off 2 sts., P.1, K.2.

8th row.—K.1, P.1, K.1, cast on 2 sts., (P.1, K.1) twice.

Rep. 1st and 2nd rows eleven times. **

Rep. from ** to ** once then 7th and 8th rows once (3 buttonholes).

Continue in rib without further buttonholes until band measures length required to fit (slightly stretched) along fronts and across back of neck.

Cast off in rib.

THE ARMHOLE BANDS—Using a fine back-stitch seam, sew up shoulder seams. With right side of work facing and using No. 10 Needles, knit up 133 [B—137] [C—141] sts. evenly round armhole.

1st row.—* K.1, P.1, rep. from * to last st., K.1.

2nd row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows twice, then 1st row once.

Cast off in rib.

Work other Armhole Band in same manner.

TO MAKE UP—Using a fine back-stitch seam, sew up side seams, including armhole bands. Using a fine back-stitch seam, sew on front band. Slip-stitch pocket linings in position on wrong side and pocket tops on right side of work. Sew on buttons to correspond with buttonholes.

The appearance of your knitted garment may be enhanced by a light brushing.

'NIGEL' (Continued from page 5)

3rd row.—Work to last 18 [B—20] [C—20] sts., turn.

5th row.—Work to last 27 [B—30] [C—30] sts., turn.

6th row.—As 2nd row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to ***.

Dec. once at each end of needle in next and every alt. row until 116 [B—122] [C—128] sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 [B—10] [C—10] sts., turn.

3rd and 4th rows.—Work to last 18 [B—20] [C—20] sts., turn.

5th and 6th rows.—Work to last 27 [B—30] [C—30] sts., turn.

7th and 8th rows.—Work to last 37 [B—39] [C—41] sts., turn.

9th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 73 [B—73] [C—83] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows fifteen times, then 1st row once.

34th row.—Rib 4 [B—rib 4] [C—rib 5], * inc. once in next st., rib 7 [B—rib 7] [C—rib 8], rep. from * to last 5 [B—5] [C—6] sts., inc. once in next st., rib 4 [B—rib 4] [C—rib 5]. (82 [B—82] [C—92] sts.)

Using No. 10 Needles, work as given from ** to ** for Front twice.

Keeping continuity of patt., inc. once at each end of needle in next and every following 6th row until there are 114 [B—120] [C—126] sts. on needle.

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement, finishing so that right side of work will be facing when working next row.

Cast off 3 sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 64 [B—68] [C—72] sts. remain, then in every row until 22 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back-stitch seam, sew up shoulder seams. With right side of work facing, using set of four No. 12 Needles and commencing at left shoulder seam, knit up 93 [B—97] [C—101] sts. evenly along left side of neck (knitting up last st. from centre front), 92 [B—96] [C—100] sts. evenly along right side of neck, and 41 [B—43] [C—45] sts. across back of neck. (226 [B—236] [C—246] sts.)

1st round.—* K.1, P.1, rep. from * to end of round.

Work 10 rounds in rib, dec. once at each side of centre st. in every round, keeping centre st. plain.

Work 10 rounds in rib, inc. once at each side of centre st. in every round, keeping centre st. plain.

Cast off loosely in rib.

THE COLLAR—Using No. 12 Needles, cast on 191 [B—195] [C—199] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row. Rep. 1st and 2nd rows twice.

7th row.—Rib 11 [B—rib 13] [C—rib 15], * inc. twice in next st., rib 11, rep. from * to last 12 [B—14] [C—16] sts., inc. twice in next st., rib 11 [B—rib 13] [C—rib 15]. (221 [B—225] [C—229] sts.)

Work 43 rows in rib.

Cast off loosely in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seams to side seams. Fold neckband in halves and slip-stitch in position on wrong side of work. Slip-stitch collar in position to where stitches were picked up for neckband. Finally, press all seams.

'LAYTON' (Continued from page 6)

Next row.—K.2 tog. Fasten off.

Join in yarn at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to **.

Work 4 rows in plain smooth fabric.

Shape raglan by casting off 5 [B—6] [C—7] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 33 [B—35] [C—37] sts. remain. Cast off.

THE SLEEVES—Using No. 11 Needles, cast on 57 [B—59] [C—61] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows eight times, then 1st row once.

20th row.—Rib 3 [B—rib 4] [C—rib 5], * inc. once in next st., rib 9, rep. from * to last 4 [B—5] [C—6] sts., inc. once in next st., rib 3 [B—rib 4] [C—rib 5]. (63 [B—65] [C—67] sts.)

Using No. 7 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows twice.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th row until there are 89 [B—95] [C—91] sts. on needle, [Size C only—then in every following 6th row until there are 101 sts. on needle].

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement, finishing at end of a purl row.

Shape raglan by casting off 5 [B—6] [C—7] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 5 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back-stitch seam, sew sleeves to fronts and back noting that tops of sleeves form part of neckline.

Using No. 11 Needles, cast on 13 stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

** Rep. 1st and 2nd rows four times.

11th row.—Rib 5, cast off 3 sts., rib 5.

12th row.—Rib 5, cast on 3 sts., rib 5.

Rep. 1st and 2nd rows three times. **

Rep. from ** to ** once.

Continue in rib without further buttonholes until band measures long enough to fit (slightly stretched) round neck edge. Cast off in rib.

TO MAKE UP—DO NOT PRESS. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Using a fine back-stitch seam, sew neckband in position, crossing left side over right at front. Sew on buttons to correspond with buttonholes.

'LARRY' (Continued from page 7)

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to **.

Dec. once at each end of needle in next row and every following 4th row until 89 [B—93] [C—97] sts. remain, then in every alt. row until 63 [B—67] [C—71] sts. remain.

Work 1 row without shaping.

Cast off 8 [B—9] [C—10] sts. at beg. of next 2 rows, then 9 sts. at beg. of next 2 rows.

Cast off remaining 29 [B—31] [C—33] sts.

THE SLEEVES—Using No. 10 Needles, cast on 61 [B—65] [C—69] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows ten times, then 1st row once.

24th row.—Rib 3 [B—rib 5] [C—rib 7], * inc. once in next st., rib 10, rep. from * to last 3 [B—5] [C—7] sts., inc. once in next st., rib 2 [B—rib 4] [C—rib 6]. (67 [B—71] [C—75] sts.)

[Continued on next page]

'LARRY' (Continued from page 19)

Using No. 7 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows twice.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th row until there are 89 [B—95] [C—101] sts. on needle.

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement, finishing at end of a purl row.

Shape top as follows:—

1st and 2nd rows.—Cast off 2 [B—3] [C—4] sts., work to end of row.

3rd row.—K.5, slip 1, K.1, p.s.s.o., knit to last 7 sts., K.2 tog., K.5.

4th row.—K.5, purl to last 5 sts., K.5.

Rep. 3rd and 4th rows until 29 sts. remain, finishing at end of a 3rd row.

Next row.—K.5, P.2 tog., purl to last 7 sts., P.2 tog.t.b.l., K.5.

Next row.—K.5, slip 1, K.1, p.s.s.o., knit to last 7 sts., K.2 tog., K.5.

Continue dec. in this manner in every row until 19 sts. remain.

Work 22 [B—24] [C—24] rows without shaping keeping 5 sts. in Garter Stitch at each end of needle. Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back-stitch seam, sew sleeves to front and back, leaving tops of sleeve extensions to form part of neckline. With right side of work facing and using set of four No. 10 Needles, knit up 62 [B—68] [C—74] sts. evenly across top of left sleeve and along left front, knit st. from length of wool, 62 [B—68] [C—74] sts. along right front and across top of right sleeve and 27 [B—29] [C—31] sts. across back of neck. (152 [B—166] [C—180] sts.)

1st round.—* K.1, P.1, rep. from * to end of round.

Work 8 rounds in rib, dec. once at each side of centre point of "V" in every round, keeping centre st. plain.

Work 8 rounds in rib, inc. once at each side of centre point of "V" in every round, keeping centre st. plain.

Cast off in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Fold neckband in half on to wrong side of work and slip-stitch in position. Finally, press all seams.

THE PULLOVER WITH ROUND NECK.

THE FRONT—Work as given for Front of Pullover with "V" Neck to **.

Dec. once at each end of needle in next and every following 4th row until 89 [B—93] [C—97] sts. remain, then in every alt. row until 77 [B—81] [C—85] sts. remain.

Work 1 row without shaping.

Next row.—K.2 tog., K.28 [B—K.29] [C—K.30], turn.

20

Continue on these 29 [B—30] [C—31] sts., dec. once at each end of needle in every alt. row until 17 [B—18] [C—19] sts. remain.

Work 1 row without shaping.

Next row.—Cast off 8 [B—9] [C—10] sts., knit to end of row.

Next row.—Purl. Cast off remaining sts.

Slip next 17 [B—19] [C—21] sts. on to a stitch holder and leave.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Back of Pullover with "V" Neck, leaving 29 [B—31] [C—33] sts. on a stitch holder instead of casting off.

THE SLEEVES—Work as given for Sleeves of Pullover with "V" Neck.

THE NECKBAND—Using a fine back-stitch seam, sew sleeves to front and back, leaving tops of sleeve extensions to form part of neckline.

With right side of work facing and using set of four No. 10 Needles, knit up 112 [B—116] [C—120] sts. evenly round neck (including sts. from stitch holders).

1st round.—* K.1, P.1, rep. from * to end of round.

Rep. 1st round sixteen times.

Using a No. 8 Needle, cast off loosely in rib.

TO MAKE UP—As given for Pullover with "V" Neck.

'LESTER' (Continued from page 11)

11th row.—P.4, * C.4B, P.7, rep. from * to last 14 sts., C.4B, P.6.

12th row.—K.4, * (K.2, P.2) twice, K.7, rep. from * to last 14 sts., (K.2, P.2) twice, K.6 **].

All Sizes.—Keeping continuity of patt. as given from ** to **, inc. once at each end of needle in next and every following 4th row until there are 96 [B—104] [C—111] sts. on needle, then in every following 6th row until there are 122 [B—130] [C—137] sts. on needle.

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement, finishing so that right side of work will be facing when working next row.

Cast off 4 [B—5] [C—6] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 82 [B—82] [C—79] sts. remain, then in every row until 24 [B—24] [C—25] sts. remain.

Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back-stitch seam, sew up shoulder seams.

With right side of work facing and using set of four No. 10 Needles, knit up 164 [B—174] [C—184] sts. evenly round neck, including sts. from stitch holders.

1st round.—* K.1, P.1, rep. from * to end of round.

Rep. 1st round nine times.

Change to set of four No. 12 Needles, work 22 rounds in rib.

Change to set of four No. 10 Needles, work 10 rounds in rib.

Cast off loosely in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seams to side seams. Fold neckband in half on to wrong side of work and slip-stitch in position. Finally, press all seams.

THE PULLOVER WITHOUT SLEEVES.

THE FRONT—Work as given for Front of Pullover with Sleeves until work measures 15½ ins. from commencement, finishing so that right side of work will be facing when working next row.

Shape armholes by casting off 15 [B—16] [C—17] sts. at beg. of next 2 rows. Dec. once at each end of needle in next and every alt. row until 101 [B—116] [C—129] sts. remain. ****

Work 39 [B—45] [C—49] rows without shaping.

Shape neck as follows:—

Next row.—Patt. 65 [B—patt. 74] [C—patt. 82], leave last 29 [B—32] [C—35] of these sts. just worked on a stitch holder, patt. 36 [B—patt. 42] [C—patt. 47]. Continue on these 36 [B—42] [C—47] sts., dec. once at neck edge in every alt. row until 27 [B—31] [C—34] sts. remain.

Work 11 [B—9] [C—7] rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 9 [B—10] [C—11] sts., turn.

2nd row.—Work to end of row.

3rd row.—Work to last 18 [B—20] [C—22] sts., turn.

4th row.—As 2nd row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to ****.

Work 51 [B—57] [C—63] rows without shaping.

Shape neck as follows:—

Next row.—Patt. 65 [B—patt. 74] [C—patt. 82], leave last 29 [B—32] [C—35] of these sts. just worked on a stitch holder, patt. 36 [B—patt. 42] [C—patt. 47]. Continue on these 36 [B—42] [C—47] sts., dec. once at neck edge in every row until 27 [B—31] [C—34] sts. remain.

Work 8 rows without shaping.

Shape shoulder as given for Front.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE NECKBAND—Work as given for Neckband of Pullover with Sleeves.

THE ARMHOLE BANDS—With right side of work facing and using No. 12 Needles, knit up 181 [B—187] [C—193] sts. evenly round armhole.

1st row.—* K.1, P.1, rep. from * to last st., K.1.

2nd row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows eleven times. Cast off in rib. Work other Armhole Band in same manner.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side seams. Fold neckband and armhole bands in half on to wrong side of work and slip-stitch in position. Finally, press all seams.

'KENNETH' (Continued from page 12)

Dec. once at armhole edge as before in every alt. row six times, whilst at same time dec. once at front edge in every following 4th row three times. (6 sts.)

Proceed as follows:—

1st row.—Purl.

2nd row.—K.2 tog., K.4.

3rd row.—P.3, P.2 tog.

4th row.—K.2 tog., K.2.

5th row.—P.1, P.2 tog.

6th row.—K.2 tog.

Fasten off.

THE LEFT FRONT—Using No. 12 Needles, cast on 65 [B—71] [C—75] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows eight times, inc. once at end of needle in last row for **Sizes A and C only**. (66 [B—71] [C—76] sts.)

Using No. 9 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows sixteen times.

Next row.—K.18 [B—K.23] [C—K.28], slip next 31 sts. on to a stitch holder and leave, slip pocket lining sts. on to left hand needle right side of work facing, knit across these sts. to end of row.

Continue without shaping until work measures 16½ ins. from commencement, finishing at end of a purl row.

Shape raglan and front slope as follows:—

1st row.—Cast off 5 [B—6] [C—7] sts., knit to end of row.

2nd row.—Purl.

3rd row.—K.4, slip 1, K.1, p.s.s.o., knit to last 2 sts., K.2 tog.

4th row.—As 2nd row.

5th row.—K.4, slip 1, K.1, p.s.s.o., knit to end of row. Rep. 4th and 5th rows once, then 4th row once. (57 [B—61] [C—65] sts.)

Continue to correspond with Right Front, working shapings at opposite ends of needle.

THE BACK—Using No. 12 Needles, cast on 133 [B—143] [C—153] stitches.

[Continued on next page

'KENNETH' (Continued from page 21)

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.
2nd row.—K.1, * P.1, K.1, rep. from * to end of row.
 Rep. 1st and 2nd rows eight times.

Using No. 9 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric until work measures 16½ ins. from commencement, finishing at end of a purl row.

Shape raglan as follows:—

**** 1st and 2nd rows.**—Cast off 5 [B—6] [C—7] sts., work to end of row.

3rd row.—K.4, slip 1, K.1, p.s.s.o., knit to last 6 sts., K.2 tog., K.4.

4th row.—Purl **.

Rep. 3rd and 4th rows until 37 [B—39] [C—41] sts. remain, finishing at end of a 3rd row. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 65 [B—71] [C—77] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.
2nd row.—K.1, * P.1, K.1, rep. from * to end of row.
 Rep. 1st and 2nd rows eleven times, then 1st row once.

26th row.—Rib 4 [B—rib 7] [C—rib 10], * inc. once in next st., rib 7, rep. from * to last 5 [B—8] [C—11] sts., inc. once in next st., rib 4 [B—rib 7] [C—rib 10]. (73 [B—79] [C—85] sts.)

Using No. 9 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows twice.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th row until there are 107 [B—115] [C—123] sts. on needle.

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement, finishing at end of a purl row.

Work as given from ** to ** for Back.

Rep. 3rd and 4th rows until 11 sts. remain, finishing at end of a 3rd row. Cast off.

Work another Sleeve in same manner.

THE FRONT BAND—Using No. 12 Needles, cast on 13 stitches.

1st row.—K.2, (P.1, K.1) five times, K.1.

2nd row.—(K.1, P.1) six times, K.1.

Rep. 1st and 2nd rows once.

5th row.—Rib 5, cast off 3 sts., rib 5.

6th row.—Rib 5, cast on 3 sts., rib 5.

Continue in rib making a buttonhole as before in every following 35th and 36th rows from previous buttonhole until 5 buttonholes have been completed.

Continue without further buttonholes until band measures required length (slightly stretched) to fit along fronts and across tops of sleeves and back of neck. Cast off in rib.

THE POCKET TOPS—Slip 31 pocket sts. on to a No. 12 Needle so that right side of work will be facing when working 1st row.

Using No. 12 Needles, proceed as follows:—

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.
 Rep. 1st and 2nd rows four times. Cast off in rib.

Work other Pocket Top in same manner.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a fine back-stitch seam, sew sleeves to fronts and back, noting that tops of sleeves form part of neckline. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Slip-stitch pockets in position on wrong side and pocket tops in position on right side. Using a fine back-stitch seam, sew front band in position. Sew on buttons to correspond with buttonholes. Finally, press all seams.

'BURKE' (Continued from page 13)

Shape shoulders by casting off 5 [B—6] [C—7] sts. at beg. of next 10 [B—8] [C—6] rows, [Sizes B and C only, then [B—5] [C—6] sts. at beg. of next [B—2] [C—4] rows]. (35 [B—37] [C—39] sts.)

Cast off.

THE SLEEVES—Using No. 12 Needles and M., cast on 61 [B—67] [C—73] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.
 Rep. 1st and 2nd rows fourteen times, inc. once at each end of needle in last row. (63 [B—69] [C—75] sts.)

Using No. 9 Needles, work as given from ** to ** for Front once.

Keeping continuity of patt., inc. once at each end of needle in next and every following 14th row, until there are 87 [B—93] [C—99] sts. on needle.

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement, finishing so that right side of work will be facing when working next row.

Tie a coloured thread at each end of work.

Work 24 rows without shaping.

Cast off 3 sts. at beg. of next 22 [B—24] [C—26] rows.

Cast off remaining 21 sts.

Work another Sleeve in same manner.

THE NECKBAND—Using No. 12 Needles and M., cast on 247 [B—257] [C—267] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.
 Rep. 1st and 2nd rows nine times.

Cast off loosely in rib.

THE COLLAR—Using No. 12 Needles and M., cast on 161 [B—165] [C—169] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.
 Rep. 1st and 2nd rows three times.

9th row.—Rib 2 [B—rib 4] [C—rib 6], * inc. twice in next st., rib 11, rep. from * to last 3 [B—5] [C—7] sts., inc. twice in next st., rib 2 [B—rib 4] [C—rib 6]. (189 [B—193] [C—197] sts.)

Work 49 rows in rib.
Cast off loosely in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side, shoulder and sleeve seams to coloured threads. Sew in sleeves, placing 24 rows at top of sleeves to cast-off stitches on front and back. Using a fine back-stitch seam, sew neckband in position. Slip-stitch collar in position to seam of neckband. Finally, press all seams.

'JASON' (Continued from page 14)

THE SLEEVES—Using No. 12 Needles, cast on 63 [B—71] [C—79] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows fourteen times, then 1st row once.

32nd row.—Rib 3 [B—rib 7] [C—rib 11], (inc. once in next st., rib 10) five times, inc. once in next st., rib 4 [B—rib 8] [C—rib 12]. (69 [B—77] [C—85] sts.)

Using No. 9 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th row until there are 101 [B—109] [C—117] sts. on needle.

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement, finishing with a purl row.

Cast off 2 sts. at beg. of next 2 rows.

Next row.—K.3, slip 1, K.1, p.s.s.o., knit to last 5 sts., K.2 tog., K.3.

Next row.—Purl.

Continue dec. once at each end of needle in next and every alt. row as before until 13 [B—25] [C—25] sts. remain.

[Sizes B and C only—

Next row. — P.3, P.2 tog., purl to last 5 sts., P.2 tog.t.b.l., P.3.

Next row.—K.3, slip 1, K.1, p.s.s.o., knit to last 5 sts., K.2 tog., K.3.

Continue dec. in every row as before until 13 sts. remain.]

All Sizes.—Cast off.

Work another Sleeve in same manner.

THE LEFT FRONT BAND—Slip sts. left on stitch holder on to a No. 12 Needle, so that right side of work is facing when working 1st row.

Using No. 12 Needles, proceed as follows:—

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows four times.

11th row.—Rib 4, cast off 3 sts., rib 4.

12th row.—Rib 4, cast on 3 sts., rib 4.

Continue in rib, making a buttonhole as before in every following 13th and 14th rows from previous buttonhole until 3 buttonholes in all have been worked.

Work 6 rows in rib. Cast off in rib.

THE RIGHT FRONT BAND—Using No. 12 Needles, cast on 11 stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows twenty-two times. Cast off in rib.

THE COLLAR—Using No. 12 Needles, cast on 213 [B—223] [C—233] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows twelve [B—fourteen] [C—sixteen] times.

Next row. — Cast off 8 sts., rib 6 [B—rib 8] [C—rib 10], * (work 2 tog.) twice, rib 2, rep. from * to last 19 [B—21] [C—23] sts., (work 2 tog.) twice, rib 15 [B—rib 17] [C—rib 19]. (143 [B—151] [C—159] sts.)

Cast off 8 sts. at beg. of next 9 rows. (71 [B—79] [C—87] sts.)

Cast off remaining sts.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Using a fine back-stitch seam, sew sleeves to front and back, noting that tops of sleeves form part of neckline. Using a fine back-stitch seam, sew front bands and underlap in position. Using a flat seam, sew collar to neckline, commencing and finishing at centre front opening. Sew on buttons to correspond with buttonholes. Finally, press all seams.

Published with All Rights Reserved by

PATONS & BALDWIN'S


(AUSTRALIA) LIMITED

REG. OFFICE: 84-94 FLINDERS LANE, MELBOURNE, C.1 • N.S.W. BRANCH: CHURCH AVENUE, MASCOT

Wholly Set Up and Printed in Australia



Trade Marks Registered in Australia





Page 15

Page 14